



Interactive Training Guides

[Get Started](#)




QUOTE MANAGER

Generate a sales quote for customers. Save, edit, print and share as many quotes as necessary.



POLICY MANAGER

Create a tire policy for customers. Save, edit, print and share as many policies as necessary.




GUIDED SEARCH

Use our bundle builder tool as a guided search for the best products, services and technology.



SEARCH

Search Bridgestone products and filter down, compare and choose the best solution along.



SAVED ITEMS

Here is where you can find all your saved dealers, bundle builder flows, favorite tires and more.



RESOURCES

Access helpful resources.

The main dashboard has 6 options, **Quote Manager**, **Policy Manager**, **Guided Search**, **Search**, **Saved Items** and **Resources**. Click **each** to explore and come back to this back by clicking the Tire Advisor logo on the top right of each page.

< BACK TO THE DASHBOARD

QUOTE MANAGER

Search for an existing Quote



MY QUOTES (56) FAVORITES (9) DRAFTS (45) COMPLETED (14) DELETED (7) SHARED QUOTES (3)

 CREATE NEW QUOTE

The main Quote Manager page now shows **favorited, drafts, completed, deleted** and **shared** quotes. **My Quotes** will display all quotes and the Search box on the top right allows you to use keywords to search for quotes.



New Structu



Sway Test

5/3/21

Completed

< BACK TO THE DASHBOARD

QUOTE MANAGER

Search for an existing Quote



MY QUOTES (56) FAVORITES (9) DRAFTS (45) COMPLETED (14) DELETED (7) SHARED QUOTES (3)

CREATE NEW QUOTE

Clicking the 3 dots to the right of the quote also allows the ability to **Edit**, **Duplicate**, **Share**, **Download** and **delete** the quote.

A dropdown menu with a white background and a red border. On the left, the text 'STATUS' is above 'Draft'. The menu items are: Edit, Duplicate, Share, Download, and Delete. To the right of the menu is a three-dot icon.



Sway Test

DATE CREATED

5/3/21

CREATED BY

STATUS

Completed



[← BACK TO THE DASHBOARD](#)

QUOTE MANAGER

Search for an existing Quote



MY QUOTES (56) FAVORITES (9) DRAFTS (45) COMPLETED (14) DELETED (7) SHARED QUOTES (3)

[+ CREATE NEW QUOTE](#)

In addition, there's a **Back to the Dashboard** link on the top left that takes you back to the main dashboard. Go to the next page to view the process of Sharing an event.

STATUS

Draft

Edit

Duplicate

Share

Download

Delete



Sway Test

DATE CREATED

5/3/21

CREATED BY

STATUS

Completed



QUOTE MANAGER

MY QUOTES (56) FAVORITES (9) DRAFTS (45)

SHARE QUOTE

SEND EMAIL

CANCEL

When Sharing a Quote, this can only be done with internal Bridgestone Teammates. Enter the email address and click **Send Email**.



New Structure Quote



Sway Test

< BACK TO THE DASHBOARD

QUOTE MANAGER

Search for an existing Quote



MY QUOTES (56) FAVORITES (9) DRAFTS (45) COMPLETED (14) DELETED (7) SHARED QUOTES (3)

 CREATE NEW QUOTE

When editing a Quote, all changes made will automatically be saved to the existing quote. Clicking **Create New Quote** will initiate a new Quote which will continue in the following pages.



New Structu



Sway Test

DATE CREATED

5/3/21

CREATED BY

STATUS

Completed



QUOTE MANAGER



NAME OF QUOTE

Type your quote name here



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

At any time, the ability to click on a section on the **left** will take you to the start of that section. This will be available throughout the guide. Also, clicking the **Tire Advisor logo** on the top right will take you back to the main splash page.

//////
CUS

CREA
(optional)

CUST
(optional)

CUSTOMER NAME

(optional)

QUOTE MANAGER



NAME OF QUOTE

Type your quote name here



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

CUSTOMER INFORMATION

CREATED BY

(optional)

CUSTOMER IDENTIFIER

(optional)

CUSTOMER NAME

(optional)

Start the Quote by first typing the name of the quote in the “**Name of Quote**” section. Try to be specific in using content like Customer Name/Location and date (Bob’s Trucking 3.9.2021). Once complete, click **enter or tab**.

QUOTE MANAGER



NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

CUSTOMER INFORMATION

CREATED BY

|

(optional)

CUSTOMER IDENTIFIER

(optional)

CUSTOMER NAME

(optional)

LOCATION

Then proceed to entering general **Customer Information** seen here on the screen.

QUOTE MANAGER



NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

LOCATION

(optional)

QUOTE TYPE

(optional)

PRODUCT TYPE

(optional)

SEGMENT

(optional)



NI

When reaching **Quote Type**, click the drop down to display options.

QUOTE MANAGER



NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

LOCATION

(optional)

QUOTE TYPE

Quote Type

Standard

One Time Only

SEGMENT

(optional)

For Quote Type, two options display with the majority of the use being **Standard**, but **One Time Only** will address a single bulk purchase.

QUOTE MANAGER



NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

LOCATION
Nashville, TN

(optional)

Standard

(optional)

PRODUCT TYPE

|

Product Type
Truck Tires

(optional)

The next section will be Product Type with the lone option being **Truck Tires**. Note: Other business units will be added in future updates.

QUOTE MANAGER



NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

LOCATION
Nashville, TN

(optional)

Standard

(optional)

Truck Tires

(optional)

SEGMENT

Segment

- Truckload
- Less Than Truckload
- Distribution and P&D
- Severe Service
- Waste and Recycling
- Bus and Coach
- Specialized Transport

Within the Segment section, a variety of options display. Select the **appropriate option** for this quote.

QUOTE MANAGER



NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY


LOCATION
Nashville, TN
(optional)

Standard
(optional)

Truck Tires
(optional)

Truckload
(optional)

All content within this section is optional, but recommended to ensure information and quote is represented accurately. After all Customer Information is complete, click on the next section **Team Info**.




QUOTE MANAGER

NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION [↗](#)
- YOUR TEAM INFO [↗](#)
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY



After each section, the ability to go back to the **Previous** section is available at the top of each page.



Drag and drop your logo image in this area or [upload from your computer](#)

Alternatively, choose a logo to use from our image library.

Search for an existing logo



QUOTE MANAGER

NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

PREVIOUS CUSTOMER INFORMATION

YOUR TEAM INFO

FLEET TEAM



Drag and drop your logo image in this area or [upload from your computer](#)

image library.

Search for an existing logo



The next section will involve entering the Team Info for the quote. To insert a logo, the first option is to upload from a computer. To do this click **upload from your computer**.




QUOTE MANAGER

NAME OF QUOTE

Test Quote

- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY



This will populate a file explorer on your computer. Find the image file and click **Open**.

QUOTE MANAGER

NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION [↗](#)

YOUR TEAM INFO [↗](#)

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

Alternatively, choose a logo to use from our image library.

Search for an existing logo



There's also an image library that can be searched via the search box. Once logo is located, **click the logo**, and then click **Use this Logo** to add to quote

LOCATION

QUOTE MANAGER

NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION [↗](#)
- YOUR TEAM INFO [↗](#)
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

Alternatively, choose a logo to use from our image library.

Search for an existing logo



After inserting the optional logo, fill out the **Fleet Customer Name, Contact Name, and location.**

CUSTOMER NAME

(optional)

CONTACT NAME

(optional)

LOCATION

QUOTE MANAGER

NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION [↗](#)
- YOUR TEAM INFO [↗](#)
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

DEALER TEAM

Drag and drop your logo image in this area or [upload from your computer](#)

Alternatively, choose a logo to use from our image library.

Search for an existing logo

After the Fleet information, we would do the same with the Dealer Team. Either **insert a logo from your computer** or **search** to add a logo for the Dealer on the quote.



QUOTE MANAGER



NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION [↗](#)
- YOUR TEAM INFO [↗](#)
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

(optional)


(optional)

(optional)

(optional)

(optional)

Once logos are added, go through and fill out as much of the **Dealer information** as possible via the options shown here. After all information is added, click the arrow on the bottom to begin entering **Tires and Services**






QUOTE MANAGER

NAME OF QUOTE

Test Quote




TOP

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & SERVICES 
- DETAILS & COMMENTS
- SUMMARY

 PREVIOUS
YOUR TEAM INFO

TIRES & SERVICES

Tires (0 Added)



Tires and Services can be added to the quote in this section. Let's first look at adding a Tire by clicking on the **ADD TIRE** button.

Services (0 Added)



QUOTE MANAGER

NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES

Tires can be grouped if desired. Example: Steers Tires, Drive Tires, Trailer Tires. Once a Tire Group name is added, start by entering in the **tire information** shown.

TIRE GROUP NAME

DELETE GROUP

TIRE PATTERN

QUANTITY 1

DELETE TIRE

TIRE SIZE

PLY / STAR RATING

ARTICLE NUMBER


PRICE PER UNIT

FET PER UNIT \$0

ADD COMMENTS

ADD ANOTHER TIRE

ADD ANOTHER GROUP



QUOTE MANAGER

NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

Tires can also simply be added by adding an Article Number. Keep in mind that if either **Tire Pattern** or **Article Number** is removed, all other data will be as well.

TIRE GROUP NAME

DELETE GROUP

BRIDGESTONE

TIRE PATTERN: M760 Ecopia QUANTITY: 2

DELETE TIRE

TIRE SIZE: 285/75R24.5 PLY / STAR RATING: 14 ARTICLE NUMBER: 247916

PRICE PER UNIT: FET PER UNIT \$25.23

ADD COMMENTS

ADD ANOTHER TIRE ADD ANOTHER GROUP



QUOTE MANAGER



NAME OF QUOTE

Test Quote



The quickest way to populate is to use the article number. TA does **not** read leading 0s when using the article number. Price per unit is BEFORE FET. The FET will be added to the price on the output. In addition, input **comments** identifying what wheel position and application the tire is used in. I.e. M760 is a line haul, Smartway Approved, drive tire. Any other key features specific to the customer's application should be mentioned.

TIRE SIZE 285/75R24.5	PLY / STAR RATING 14	ARTICLE NUMBER 247916
PRICE PER UNIT	FET PER UNIT \$25.23	
+ ADD COMMENTS		
+ ADD ANOTHER TIRE		+ ADD ANOTHER GROUP

QUOTE MANAGER

NAME OF QUOTE

Test Quote



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

DELETE GROUP

BRIDGESTONE

TIRE PATTERN
M760 Ecopia

DELETE TIRE

TIRE SIZE
285/75R24.5

PRICE PER UNIT

FE \$2

ADD COMMENTS

If another Tire and Group need to be added, click on the **corresponding buttons** and repeat the process we just went over to add Tires to the quotes.

ADD ANOTHER TIRE ADD ANOTHER GROUP

QUOTE MANAGER

NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

Services (1 Added)

ADD SERVICE

Add services to this quote.

When the **ADD SERVICE** button is clicked, the option to search or manually enter a service and quote becomes available. Only one service at a time can be added, so if another one needs to be added, click **ADD ANOTHER SERVICE**.

DELETE SERVICE

ADD COMMENTS

ADD ANOTHER SERVICE

QUOTE MANAGER



NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

- S
- Mount Tire. Medium Truck
 - Dismount Tire. Medium Truck
 - Mount + Dismount Tire. Medium Truck
 - Tire Change. Medium Truck
 - Balance Tire. Medium Truck
 - Fee. Tire Disposal. Medium Truck
 - Mount Tire. Heavy Truck
 - Dismount Tire. Heavy Truck
 - Mount + Dismount Tire. Heavy Truck
 - Tire Change. Heavy Truck

When using the **Service** box, enter in a keyword and available services based on the keyword will display. Example shown here based on Tire.

Service

DELETE SERVICE

ADD COMMENTS

ADD ANOTHER SERVICE

QUOTE MANAGER



NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

DELETE SERVICE

PRICE PER UNIT

35

ADD COMMENTS

COMMENTS

Need new tire mounted on steer position



Clicking **ADD COMMENTS** will allow for more details to be added to service. Only once service at a time can be added, so if another one needs to be added, click **ADD ANOTHER SERVICE**.

ADD ANOTHER SERVICE



NEXT DETAILS & COMMENTS

QUOTE MANAGER



NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

DELETE SERVICE

PRICE PER UNIT

35

ADD COMMENTS

COMMENTS

Need new tire mounted on steer position



ADD ANOTHER SERVICE

Based off the National Account YY code descriptions. Be sure to include notes in 'add comments' like "includes valve stem and flow-thru" for a mounted wheel or two-hour minimum for Emergency Road Service. Also differentiate your company here or include any date parameters on pricing.



NEXT DETAILS & COMMENTS

QUOTE MANAGER

NAME OF QUOTE

Test Quote



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & SERVICES

DETAILS & COMMENTS

SUMMARY

DELETE SERVICE

PRICE PER UNIT

35

ADD COMMENTS

COMMENTS

Need new tire mounted on steer position



ADD ANOTHER SERVICE



NEXT DETAILS & COMMENTS





After all Tires and Services have been added to the Quote, click the arrow on the bottom to go to the next section, **Details and Comments**

QUOTE MANAGER

NAME OF QUOTE

Test Quote



- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & SERVICES 
- DETAILS & COMMENTS 
- SUMMARY

 PREVIOUS
TIRES & SERVICES

DETAILS & COMMENTS

VALID UNTIL

Date format: MM/DD/YYYY (optional)











COMMENTS

(optional)

The Details & Comments sections allows for the entry of a Valid Until date and any other comments. Once complete click the arrow on the bottom for the next section, **Summary**.

 NEXT SUMMARY

QUOTE MANAGER

-  CUSTOMER INFORMATION 
-  YOUR TEAM INFO 
-  TIRES & SERVICES 
-  DETAILS & COMMENTS 
-  SUMMARY 

SUMMARY

TEST QUOTE

CUSTOMER INFORMATION

CREATED BY
Johnny Bridgestone

CUSTOMER IDENTIFIER
123456

CUSTOMER NAME
Bobby Firestone

LOCATION
Nashville, TN

QUOTE TYPE
Standard

PRODUCT TYPE
Truck Tires

SEGMENT
Truckload

YOUR TEAM INFO

FLEET TEAM






DEALER TEAM

 PREVIOUS
DETAILS & COMMENTS




The Summary will show all information added within the Quote starting with the **Customer** and **Team** Info.

QUOTE MANAGER

- ✓ CUSTOMER INFORMATION 
- ✓ YOUR TEAM INFO 
- ✓ TIRES & SERVICES 
- ✓ DETAILS & COMMENTS 
- ✓ SUMMARY 

TIRES



BRIDGESTONE 

TIRE PATTERN
M760 Ecopia

QUANTITY	ARTICLE NUMBER
2	247916
TIRE SIZE	PRICE PER UNIT
285/75R24.5	
PLY / STAR RATING	FET PER UNIT
14	25.23

COMMENTS

TIRE PATTERN






QUANTITY	ARTICLE NUMBER
1	

Next part of the summary will detail out all **Tires** added to the Quote

TIRE PATTERN

QUANTITY	ARTICLE NUMBER
1	
TIRE SIZE	PRICE PER UNIT

QUOTE MANAGER

- ✓ CUSTOMER INFORMATION 
- ✓ YOUR TEAM INFO 
- ✓ TIRES & SERVICES 
- ✓ DETAILS & COMMENTS 
- ✓ SUMMARY 

SERVICES

SERVICE
Mount Tire. Medium Truck

35

COMMENTS
Need new tire mounted on steer position

And the final section will detail out the **Services, Details** and **Comments** left on the quote.

DETAILS & COMMENTS

VALID UNTIL

COMMENTS

 DOWNLOAD QUOTE

 PRINT QUOTE

QUOTE MANAGER



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & SERVICES
- DETAILS & COMMENTS
- SUMMARY

SERVICES

SERVICE
Mount Tire. Medium Truck

35

COMMENTS
Need new tire mounted on steer position

DETAILS & COMMENTS

VALID UNTIL

COMMENTS

DOWNLOAD QUOTE PRINT QUOTE

Retread and Repairs will wrap it up, but as shown, when no information is entered or selected, the field will be blank. If a section needs to be reviewed and information added/edited, click on the section on the left and proceed accordingly. This page can always be accessed by clicking on **Summary**.

QUOTE MANAGER



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & SERVICES
- ✓ DETAILS & COMMENTS
- ✓ SUMMARY

SERVICES

SERVICE
Mount Tire. Medium Truck

35

COMMENTS
Need new tire mounted on steer position

DETAILS & COMMENTS

VALID UNTIL

COMMENTS

At the bottom the option to download and print quote is available. **Print Quote** will populate any printer options within the computer. **Download Quote** will download a copy of the quote in a PDF to the computer. Make sure to review carefully before forwarding to the customer.

DOWNLOAD QUOTE

PRINT QUOTE

QUOTE MANAGER



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & SERVICES
- ✓ DETAILS & COMMENTS
- ✓ SUMMARY



TEST QUOTE

Created By Bob McCarthy on 3/10/2021

McCarthy · test@test.com · 615-456-7891



FLEET TEAM



CUSTOMER NAME
Penske

LOCATION
Nashville, TN

CONTACT NAME
Johnny Penske

TIRES

TEST

	BRIDGESTONE COMMERCIAL	QUANTITY 1
	TIRE PATTERN R283S ECOPIA	TIRE SIZE 285/75R2

SERVICES

SERVICE Mount Tire, Medium Truck

DETAILS & COMMENTS

VALID UNTIL
03/31/2021

COMMENTS
Mounting tire quote

The PDF shown will be going through changes to allow the ability to include most of the Policy on 1 – 3 pages. This concludes the Quote Manager walk through. Explore another section or click the **Tire Advisor** logo to go back the main home screen.

< BACK TO THE DASHBOARD

POLICY MANAGER

Search for an existing Policy



MY POLICIES (46) FAVORITES (7) DRAFTS (34) COMPLETED (14) DELETED (13) SHARED POLICIES (2)

+ CREATE NEW POLICY

The main Policy Manager page now shows **favorited, drafts, completed, deleted** and **shared** policies. **My Policies** will display all quotes and the Search box on the top right allows you to use keywords to search for quotes.



New Structu



Sway's Test

< BACK TO THE DASHBOARD

POLICY MANAGER

Search for an existing Policy



MY POLICIES (46) FAVORITES (7) DRAFTS (34) COMPLETED (14) DELETED (13) SHARED POLICIES (2)

CREATE NEW POLICY

Clicking the 3 dots to the right of the quote also allows the ability to **Edit**, **Duplicate**, **Share**, **Download** and **delete** the Policy.

STATUS
Draft

- Edit
- Duplicate
- Share
- Download
- Delete

...



Sway's Test

DATE CREATED

5/3/21

CREATED BY

STATUS

Draft



[← BACK TO THE DASHBOARD](#)

POLICY MANAGER

Search for an existing Policy



MY POLICIES (46) FAVORITES (7) DRAFTS (34) COMPLETED (14) DELETED (13) SHARED POLICIES (2)

[+ CREATE NEW POLICY](#)

In addition, there's a **Back to the Dashboard** link on the top left that takes you back to the main dashboard. Go to the next page to view the process of Sharing an event.

STATUS

Draft

Edit
Duplicate
Share
Download
Delete



Sway's Test

DATE CREATED

5/3/21

CREATED BY

STATUS

Draft



POLICY MANAGER

MY POLICIES (46) FAVORITES (7) DRAFTS (34)

✕

SHARE POLICY

★ New Structure Policy

☆ Sway's Test

When Sharing a Policy, this can only be done with internal Bridgestone Teammates. Enter the email address and click **Send Email**.

< BACK TO THE DASHBOARD

POLICY MANAGER

Search for an existing Policy



MY POLICIES (46) FAVORITES (7) DRAFTS (34) COMPLETED (14) DELETED (13) SHARED POLICIES (2)

 CREATE NEW POLICY

When editing a policy, all changes made will automatically be saved to the existing quote. Clicking **Create New Policy** will initiate a new Quote which will continue in the following pages.



New Structu



Sway's Test

DATE CREATED

5/3/21

CREATED BY

STATUS

Draft




POLICY MANAGER



NAME OF POLICY

Type your policy name here



- CUSTOMER INFORMATION 
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS
- SUMMARY

At any time, the ability to click on a section on the **left** will take you to the start of that section. This will be available throughout the guide. Also, clicking the **Tire Advisor logo** on the top right will take you back to the main splash page.

////
CUS

CREA

CUST

CUSTOMER NAME

POLICY MANAGER



NAME OF POLICY

Type your policy name here



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

CUSTOMER INFORMATION

CREATED BY

CUSTOMER IDENTIFIER

CUSTOMER NAME

Start the Policy by first typing the name of the quote in the “**Name of Quote**” section. Try to be specific in using content like Customer Name/Location and date (Bob’s Trucking 3.9.2021). Once complete, click **enter or tab**.

POLICY MANAGER



NAME OF POLICY

Test Policy



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

CUSTOMER INFORMATION

CREATED BY

CUSTOMER IDENTIFIER

CUSTOMER NAME

LOCATION

POLICY TYPE

Then proceed to entering general **Customer Information** seen here on the screen. ****IMPORTANT****: Check with your local BCS rep before setting up a NAC customer. It is imperative that we follow specs as outlined with that Fleet's corporate policy.

POLICY MANAGER



NAME OF POLICY

Test Policy



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

CREATED BY
Johnny Tire

CUSTOMER IDENTIFIER
123456

CUSTOMER NAME
Test Dealer

LOCATION
Nashville, TN

POLICY TYPE

PRODUCT TYPE

SEGMENT

When reaching **Policy Type**, click the drop down to display options.

NEXT YOUR TEAM INFO

POLICY MANAGER



NAME OF POLICY

Test Policy



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

CREATED BY
Johnny Tire

CUSTOMER IDENTIFIER
123456

CUSTOMER NAME
Test Dealer

LOCATION
Nashville, TN

POLICY TYPE

Standard

SEGMENT

For Policy Type **select standard** .



POLICY MANAGER



NAME OF POLICY

Test Policy



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

CREATED BY

Johnny Tire

CUSTOMER IDENTIFIER

123456

CUSTOMER NAME

Test Dealer

LOCATION

Nashville, TN

Standard



PRODUCT TYPE



SEGMENT



NEXT
YOUR TEAM INFO

For **Product Type**, multiple options are available. Select and click the one that fits this **policy quote**.

POLICY MANAGER



NAME OF POLICY

Test Policy



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

CREATED BY
Johnny Tire

CUSTOMER IDENTIFIER
123456

CUSTOMER NAME
Test Dealer

LOCATION
Nashville, TN

Standard

Truck Tires

- Segment
- Truckload
 - Less Than Truckload
 - Distribution and P&D
 - Severe Service
 - Waste and Recycling
 - Bus and Coach
 - Specialized Transport

For Segment, the options of **Truck Tires** and **Light Truck** are available. Click on one to select.

POLICY MANAGER



NAME OF POLICY

Test Policy



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

CREATED BY

Johnny Tire

CUSTOMER IDENTIFIER

123456

CUSTOMER NAME

Test Dealer

LOCATION

Nashville, TN

Standard

Truck Tires

Light Truck

All content within this section is optional, but recommended to ensure information and policy is represented accurately. After all Customer Information is complete, click on the next section **Your Team Info**.

NEXT YOUR TEAM INFO


POLICY MANAGER

NAME OF POLICY

Test Policy



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS
- SUMMARY



After each section, the ability to go back to the **Previous** section is available at the top of each page.



Drag and drop your logo image in this area or [upload from your computer](#)

Alternatively, choose a logo to use from our image library.

Search for an existing logo



NAME OF POLICY

Test Policy



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD

PREVIOUS CUSTOMER INFORMATION

YOUR TEAM INFO

FLEET TEAM



Drag and drop your logo image in this area or [upload from your computer](#)

image library.

Search for an existing logo



The next section will involve entering the Team Info for the quote. To insert a logo, the first option is to upload from a computer. To do this click **upload from your computer**.




POLICY MANAGER

NAME OF POLICY

Test Policy

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS
- SPECS



This will populate a file explorer on your computer. Find the image file and click **Open**.



POLICY MANAGER

NAME OF POLICY

Test Policy



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS

Alternatively, choose a logo to use from our image library.

Search for an existing logo



There's also an image library that can be searched via the search box. Once logo is located, **click the logo**, and then click **Use this Logo** to add to quote



LOCATION

POLICY MANAGER

NAME OF POLICY

Test Policy



- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS
- SUMMARY

Alternatively, choose a logo to use from our image library.

After inserting the optional logo, fill out the **Fleet Customer Name, Contact Name, and location.**

POLICY MANAGER

NAME OF POLICY

Test Policy



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD

DEALER/BRIDGESTONE TEAM



After the Fleet information, we would do the same with the Dealer Bridgestone Team. Either **insert a logo from your computer** or **search** to add a logo for the Dealer on the quote.

Image library.

Search for an existing logo



POLICY MANAGER



NAME OF POLICY

Test Policy



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS
- SUMMARY



SERVICE PROVIDER NAME

CONTACT NAME




LOCATION

EMAIL

PHONE NUMBER

Once logos are added, go through and fill out as much of the **Dealer information** as possible via the options shown here. After all information is added, click the arrow on the bottom to being entering in **Tires and Programs**.




- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS
- RETREAD
- REPAIRS
- SUMMARY



PREVIOUS
YOUR TEAM INFO

TIRES & PROGRAMS

TIRES (0 ADDED)



ADD TIRE

Manually add tires to this quote.

This next section will give the ability to add Tires & Programs to the Policy. Let's first look at adding a Tire by clicking on the **ADD TIRE** button.

PROGRAMS



POLICY MANAGER



Test Policy



✓ CUSTOMER INFORMATION

✓ YOUR TEAM INFO

Tires can be grouped if desired. Example: Steers Tires, Drive Tires, Trailer Tires. Once a Tire Group name is added, start by entering in the **tire information** shown.

TIRE GROUP NAME

DELETE GROUP

TIRE PATTERN

DELETE TIRE

TIRE SIZE PLY / STAR RATING ARTICLE NUMBER

ADD COMMENTS

ADD ANOTHER TIRE ADD ANOTHER GROUP

POLICY MANAGER

Test



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS

The Tire Pattern box will auto populate **Tires** based on text entry. Start to type and **Patterns** that match will display to choose.

TIRE GROUP NAME

DELETE GROUP

TIRE PATTERN

R

Tire Pattern

- GREATEC R197 ECOPIA
- R123 ECOPIA
- R180
- R196A
- R227F
- R238
- R244

ARTICLE NUMBER

POLICY MANAGER

Test



✓ CUSTOMER INFORMATION

✓ YOUR TEAM INFO

Tires can also simply be added by adding an Article Number. Keep in mind that if either **Tire Pattern** or **Article Number** is removed, all other data will be as well.

TIRE GROUP NAME

DELETE GROUP

BRIDGESTONE

R123 ECOPIA

DELETE TIRE



11R24.5

14

4206

ADD COMMENTS

ADD ANOTHER TIRE

ADD ANOTHER GROUP

The quickest way to populate is to use the article number. TA does **not** read leading 0s when using the article number. Price per unit is BEFORE FET. The FET will be added to the price on the output. In addition, input **comments** identifying what wheel position and application the tire is used in. I.e. M760 is a line haul, Smartway Approved, drive tire. Any other key features specific to the customer's application should be mentioned.

REPAIRS

SUMMARY

DELETE TIRE

11R24.5

14

4206

ADD COMMENTS

ADD ANOTHER TIRE

ADD ANOTHER GROUP

POLICY MANAGER



Test



CUSTOMER INFORMATION

YOUR TEAM INFO

TIRES & PROGRAMS

SPECS

RETREAD

REPAIRS

SUMMARY

B135 FuelTech

DELETE TIRE

TIRE SIZE

11

ARTICLE NUMBER

ADD COMMENTS

ADD ANOTHER TIRE

ADD ANOTHER GROUP

PROGRAMS

National Fleet

Bridg

ADD COMMENTS

If another Tire and Group need to be added, click on the **corresponding buttons** and repeat the process we just went over to add Tires to the quotes.

POLICY MANAGER



Test



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS**
- SPECS
- RETREAD
- REPAIRS
- SUMMARY

Once all Tires are added to the Policy, the ability to select a **Program** is available. **Choose one** or **None** from the list shown and add any Comments if need. Once selections are made for the policy, click the next section, **Specs**.

PROGRAMS

- National Fleet Bridgestone Set Rail National Account None

ADD COMMENTS



POLICY MANAGER



Test

- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS
- SUMMARY

The Specs section will allow the ability to match the specs needed for the policy based on needs. It is first broken down by **Tire** and **Tire Position**. Each section will allow for different options to match the **Tire Position**.

SPECS

TIRE SPECS

POSITION
Steer

FLEET RETREADS?



INFLATION PRESSURE (PSI)

PULL POINT



MATCHING



POLICY MANAGER



Test

- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS
- SUMMARY

Pull Point and Matching will have options for the correct **32nds measurement**. Go through each with the customer to ensure the options being selected match their needed policy.

The screenshot shows the 'SPECS' section of the interface. On the left, a dropdown menu titled 'PULL POINT' is open, displaying a list of options: 1/32nds, 2/32nds, 3/32nds, 4/32nds, 5/32nds, 6/32nds, and 7/32nds. The '1/32nds' option is currently selected and highlighted. To the right of this dropdown is a 'MATCHING' dropdown menu with a downward arrow. Below these is an input field labeled 'INFLATION PRESSURE (PSI)'. At the bottom right, there is another 'MATCHING' dropdown menu with a downward arrow.

ADD ANOTHER POSITION

ADD COMMENTS

POLICY MANAGER

Test



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS
- SUMMARY

Ensure the **Tire Position** is also matched with the information being entered in. The positions goes as follows:

- Steer
- Drive
- Trailer

Once all are entered, **add another position** or **comments** if needed.

POSITION
Drive

POSITION
Trailer

FLEET RETREADS?





INFLATION PRESSURE (PSI)

PULL POINT

MATCHING

ADD ANOTHER POSITION

ADD COMMENTS

- ✓ CUSTOMER INFORMATION 
- ✓ YOUR TEAM INFO 
- ✓ TIRES & PROGRAMS 
- SPECS 
- RETREAD
- REPAIRS
- SUMMARY

Match casing brands when possible

+ ADD COMMENTS

INFLATION INSTRUCTIONS

Select All





- Air pressure should be checked
- All tires should have air pressure
- Valve stems should be changed
- Flow-Thru valve caps installed
- Inflation pressure for duals not more than optimal performance.

PSI DIFFERENCE

MAX PSI

+ ADD COMMENTS





After Specs are added, there's a series of different sections where options can be selected to include within the policy. Make sure to include what is important and be concise in the following sections. The first two sections are **Matching** and **Inflation Instructions**.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD
- REPAIRS
- SUMMARY

TIRE MOUNTING

- Select All
- Follow all applicable OSHA and RMA safe
- Proper mounting procedures must be foll
- Tire mounting must be done only be pers
RMA recommendations.
- Rebuild all valve stems with new valve co
- Use only double seal flow through valve c
- Match-mount, following Bridgestone poster procedures.
- On dual assemblies, regardless of tire dots, install tires on axles with valve stems approximately 180 degrees apart.
- A torque wrench will be used when installing tires - follow manufactures spec for ft/lbs
- Torque wheel nuts red dot at 12 o'clock position.
- Required torque will be ____ - ____ ft/lbs

Continuing down, Tire Mounting is the next section. Once thing to call out is when an option is selected that includes **data entry**, information will have to be populated and entered.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD
- REPAIRS
- SUMMARY

REMOVAL


- Select All
- Mark all flat tires removed with vehicle number and
- Clearly identify nail holes and damage in removed
- If Fleet casing specifications are not met: _____





 ADD COMMENTS

The next two sections include **Removal** and **Services & Labor**.

SERVICES & LABOR

- Select All
- Refer to standard service and labor rates guide. (SSLR)
- For specific requirements, refer to current service level agreements.

 ADD COMMENTS

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD
- REPAIRS
- SUMMARY

WARRANTIES

- Select All
- All warranty claims will follow the Bridgesto
- All warranty claims will follow the Bandag R
- All warranty claims will follow the Bridgesto

 ADD COMMENTS

EMERGENCY ROAD SERVICES





- Contact Bridgestone Emergency Road Services at 1-844-85-TIRES or go to <https://commercial.bridgestone.com/en-us/find-dealer>

 ADD COMMENTS

WHEELS



Warranties and Emergency Road Services will come up next. Remember, the **more information** entered and selected will allow for more details on the final policy quote.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS** 
- RETREAD
- REPAIRS
- SUMMARY

WHEELS

Select All

Must have managers approval prior to refinishing wheels.

Always use an approved gauge to determine wear on stud pilot wheels.

 ADD COMMENTS

ORDERING & INVENTORY

Select All





Document ready rack inventory monthly and [unclear]

 ADD COMMENTS

BALANCING

Select All

Wheels and Ordering & Inventory are the next two sections within Specs.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD
- REPAIRS
- SUMMARY

BALANCING





- Select All
- Balance all steer tires-balancing agent okay.
- Spin balance all steer tires.

 ADD COMMENTS

DELIVERY

- Select All
- Dealer to submit delivery receipts within _____
- Delivery must include all tires including retreads, repair only, non retreadable tires on the original purchase order. RAR must be labeled with out of service condition.
- All required documents including packing list, retread work order and completed Bridgestone delivery receipt must accompany delivered products.

Balancing and Delivery are next sections to appear. Also make sure to add any **Notes** if needed to eliminate questions when the Policy is completed.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS** 
- RETREAD
- REPAIRS
- SUMMARY

SCRAP HANDLING

- Select All
- All scrap tires must be rendered unusable.
- Must have fleet approval before disposing of scrap
- All out-of-spec tires will be disposed of in a lawful
- Out-of-spec tires will be inspected for adjustment
- Process all scrap with Dealer through BASys pro
- Preferred disposition of out-of-spec tires: _____

 ADD COMMENTS

Scrap Handling and **Pickup** are the next two sections within Specs.

PICKUP

- Select All
- Preferred turnaround time for retreads: _____

POLICY MANAGER

Test



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS**
- RETREAD
- REPAIRS
- SUMMARY

PICKUP

Select All

Preferred turn

Preferred turn

Casings will be

Tires are inspected
retread work o






A retread work

The last section is Pickup. Remember to Add **Comments** if applicable. In addition, any selection made within this section will also display on the final downloadable PDF policy. This concludes the Specs section, click on the next section **Retread** below.

COMMENTS

DELETE COMMENTS

NEXT
RETREAD

- ✓ CUSTOMER INFORMATION 
- ✓ YOUR TEAM INFO 
- ✓ TIRES & PROGRAMS 
- ✓ SPECS 
- RETREAD 
- REPAIRS
- SUMMARY

RETREAD

STEER

MAX CASING AGE



MAX NUMBER OF RETREADS



DRIVE



MAX CASING AGE



Within the Retread section, the policy can add the customers retread policy based on tire position. Under each position, first select the **Max Casing Age** drop down.

POLICY MANAGER



Test



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & PROGRAMS
- ✓ SPECS
- RETREAD
- REPAIRS
- SUMMARY

DRIVE

MAX CASING AGE

- 1 year
- 2 years
- 3 years
- 4 years
- 5 years
- 6 years
- 7 years

Ensure we're entering the **correct information** for the customer to accurately detail the policy.

CASING INSTRUCTIONS - GENERAL



POLICY MANAGER



Test



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD**
- REPAIRS
- SUMMARY

DRIVE

2 years

MAX NUMBER OF RETREADS

1

2

3

4

MAX NUMBER OF RETREADS

After Casing Age, choose the **Max Number of Retreads** allowed for that Tire Position.

CASING INSTRUCTIONS - GENERAL

POLICY MANAGER



Test



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & PROGRAMS
- ✓ SPECS
- RETREAD
- REPAIRS
- SUMMARY

DRIVE

2 years

MAX NUMBER OF RETREADS

1

2

3






4

MAX NUMBER OF RETREADS

Make sure to go through all Tire Positions if it needs to be included within the Policy. This includes **Steer**, **Drive**, and **Trailer**.

CASING INSTRUCTIONS - GENERAL








- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD** 
- REPAIRS
- SUMMARY

CASING INSTRUCTION

- Select All
- All casings should be inspected.
- Duals must be matched by casing brand, size and inflation.
- Difference in diameter between duals and between axles should not exceed: ____
- Tires in dual configuration must be matched by size and inflation, with no more than ____ difference in diameter and ____ PSI difference in inflation.
- Stereography inspection required for all casings with the Bandag 7450 Insight.
- Steer Tires Will Be New Originals *Only*.
- Ozone/weather checking must be acceptable as defined by supplied ozone template.
- If these requirements are not met, return to scrap inventory for review.

After Tire Positions are added, Enter and select **any Casing Instructions** the customer needs to have followed.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD 
- REPAIRS
- SUMMARY

CASING INSTRUCTION

- Select All
- All casings should be inspected
- Duals must be matched by
- Difference in diameter between duals and between axes should not exceed _____






Similar to information entered in for Specs, if a selection requires entry, more **options and/or dropdowns will populate** for any additional content added.

Tires in dual configuration must be matched by size and inflation, with no more than _____ difference in diameter and _____ PSI difference in inflation.

DIAMETER DIFFERENCE 

PSI DIFFERENCE

- Stereography inspection required for all casings with the Bandag 7450 Insight.
- Steer Tires Will Be New Originals *Only*.
- Ozone/weather checking must be acceptable as defined by supplied ozone template.
- If these requirements are not met, return to scrap inventory for review.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD** 
- REPAIRS
- SUMMARY

If these requirements are not met, return to scrap inventory for review.

 ADD COMMENTS

CASING BRAND ACCEPTED

- | | | |
|---------------------------------------|--------------------------------------|------------------------------------|
| <input type="checkbox"/> Select All | <input type="checkbox"/> Bridgestone | <input type="checkbox"/> Firestone |
| <input type="checkbox"/> Dayton | <input type="checkbox"/> Continental | <input type="checkbox"/> Cooper |
| <input type="checkbox"/> Dunlop | <input type="checkbox"/> General | <input type="checkbox"/> Goodrich |
| <input type="checkbox"/> Goodyear | | |
| <input type="checkbox"/> Michelin | | |
| <input type="checkbox"/> Other Brands | | |

 ADD COMMENTS

In this section, accepted casing brands can be selected or select all brands.

CASING MANAGEMENT

POLICY MANAGER



Test



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD**
- REPAIRS
- SUMMARY

ADD COMMENTS

CASING MANA

Select All

Drop Yard requ
work order to C
to Customer a
mutually agree

Disposal of any casings by a Service Provider will be done properly and in accordance with all applicable laws, rules and regulations. The work order or other writing or report provided by the Service Provider or Bandag shall be adequate to substantiate compliance with all of such requirements.







Scrap tires must be reviewed or approved by local Fleet Manager before disposal.

ADD COMMENTS

The last section within Retread is **Casing Management**. Make any selections if needed and applicable. Once all information is added, click the next section **Repairs**.

NEXT REPAIRS

Test

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD 
- REPAIRS** 
- SUMMARY

REPAIRS







STEER

- Total number
- Total number of Sections allowed: ____
- Max section repair size allowed: ____
- Total number of Nail Holes allowed: ____
- Total number of Spot Repairs per Steer tire allowed: ____

Steer Repair Instructions

- Select All

The next section will focus on repairs. Similar to Retread, each **Tire Position** will have it's own set of selections and options for each type of repair. Ensure when a selection is made to use the dropdown to select the number allowed for that **Tire Position**.

- ✓ CUSTOMER INFORMATION 
- ✓ YOUR TEAM INFO 
- ✓ TIRES & PROGRAMS 
- ✓ SPECS 
- ✓ RETREAD 
- **REPAIRS** 
- SUMMARY

REPAIRS

STEER

Total number of Repairs allowed: ____

SELECT 

Total number of Sections allowed: ____







Max section repair size allowed: ____

Total number of Nail Holes allowed: ____

Total number of Spot Repairs per Steer tire allowed: ____

Steer Repair Instructions

Here's a visual example of a **repair** being selected and the options that display below.

- CUSTOMER INFORMATION 
- YOUR TEAM INFO 
- TIRES & PROGRAMS 
- SPECS 
- RETREAD 
- REPAIRS** 
- SUMMARY

Drive Repair Instruction

- Select All
- All nail hole repairs must meet specifications.
- All nail hole repairs must meet specifications.
- Section repairs may be allowed.
- No more than one repair per inch.
- Unlimited number of spot repairs.
- Bead and spot repairs allowable as long as no body ply has been exposed.
- Chemically cured repair units must be removed and replaced with heat-cured repair units.
- Repair not to exceed value of casing.

 ADD COMMENTS

At the end of each position, a series of different options are available for **Repair Instructions**. Complete if applicable and add any **Comments** if needed.

POLICY MANAGER

Test



- CUSTOMER INFORMATION
- YOUR TEAM INFO
- TIRES & PROGRAMS
- SPECS
- RETREAD
- REPAIRS**
- SUMMARY

- Max section repair size allowed: ____
- Total number of Nail Holes allowed: ____
- Total number of Spot Repairs per Tire: ____








Trailer Repair Instructions

- Select All
- Patches/repairs must not touch or overlap
- Dealers DOT must be branded above repair
- Bead repairs are expected when no body plies have been exposed - Maximum allowed: ____
- Repair costs at any one time must not exceed value of casing
- All sidewall repairs should have blue triangle marking

ADD COMMENTS

After all Tire Positions are complete in regards to Repair, click the next and last section, **Summary**

NEXT SUMMARY

- ✓ CUSTOMER INFORMATION 
- ✓ YOUR TEAM INFO 
- ✓ TIRES & PROGRAMS 
- ✓ SPECS 
- ✓ RETREAD 
- ✓ REPAIRS 
- SUMMARY 

SUMMARY

TEST

CUSTOMER INFORMATION

CREATED BY
Johnny Tire

CUSTOMER IDENTIFIER
123456

CUSTOMER NAME
Test Dealer








LOCATION
Nashville, TN

POLICY TYPE
Standard


PRODUCT TYPE
Truck Tires

SEGMENT
Light Truck

The Summary will show all information added within the Policy starting with the **Customer** and **Team** Info.

- ✓ CUSTOMER INFORMATION 
- ✓ YOUR TEAM INFO 
- ✓ TIRES & PROGRAMS 
- ✓ SPECS 
- ✓ RETREAD 
- ✓ REPAIRS 
- SUMMARY 

TIRES

BRIDGESTONE 

TIRE PATTERN
R123 ECOPIA

TIRE SIZE: 11R24.5 ARTICLE NUMBER: 4206

PLY / STAR RATING
14

COMMENTS

bandag B135 FuelTech

TIRE PATTERN
B135 FuelTech

This is followed by **Tires**, **Programs**, and **Specs**

PROGRAMS

PROGRAM
National Fleet 

POLICY MANAGER



Test



- ✓ CUSTOMER INFORMATION
- ✓ YOUR TEAM INFO
- ✓ TIRES & PROGRAMS
- ✓ SPECS
- ✓ RETREAD
- ✓ REPAIRS
- SUMMARY

INFLATION INSTR

- Air pressure should
- All tires should hav
- Valve stems should
- Flow-Thru valve cap
- Inflation pressure f
- optimal performan

COMMENTS

TIRE MOUNTING

- Use only double se
- A torque wrench wi
- On duals, make sur
- Inspect and clean t
- stretch.
- When 1 broken stud
- studs are broken, a

COMMENTS

REMOVAL

Retread and Repairs will wrap it up, but as shown, when no information is entered or selected, the field will be blank. If a section needs to be reviewed and information added/edited, click on the section on the left and proceed accordingly. This page can always be accessed by clicking on **Summary**.

POLICY MANAGER

Test



✓ CUSTOMER INFORMATION 

✓ YOUR TEAM INFO 

✓ TIRES & PROGRAMS 

✓ SPECS 

✓ RETREAD 

✓ REPAIRS 

○ SUMMARY 

COMMENTS

TRAILER

- Total number of Repairs

COMMENTS

TRAILER REPAIR INST

- Patches/repairs must n
- Dealers DOT must be br
- Bead repairs are expect
da6052331e79}}
- Repair costs at any one
- All sidewall repairs should have blue triangle marking

COMMENTS


At the bottom the option to download policy is available. **Download Policy** will download a copy of the quote in a PDF to the computer.

 DOWNLOAD POLICY

POLICY MANAGER




WM Test
Location: Nashville, TN



BRIDGESTONE

TIRE PART NO: RT22 ECOPIA
TIRE SIZE: 11R24.5



bandag

TIRE PART NO: B135 FuelTech
TIRE SIZE: 445/50R22.5

SPECS

TIRE SPECS

POSITION	FLEET RETREAD?	PULL POINT	PSI	MATCHING
Steer	Yes			
Drive	Yes	3/32nds		3/32nds

INFLATION INSTRUCTIONS

- Air pressure should be checked at cold temperatures. Never reduce air in a hot tire.
- All tires should have air pressure checks on a regular basis by a calibrated air gauge.
- Valve stems should be charged with air replacement tires.
- Flow thru valve caps installed at time of inflation.
- Inflation pressure for duals must have more than a 5 PSI difference. Anything greater than 10 PSI can cause less than optimal performance.

TIRE MOUNTING

- Use only double seal flow through valve caps.
- A torque wrench will be used when installing tires - follow manufacturer's spec for ft/lbs.
- On duals, make sure hand-holes and valve stems are 180 degrees opposite of each other.
- Inspect and clean the threads of all of the studs, making sure they are not damaged and check all of the studs for stretch.
- When 1 broken stud is found, it must be replaced, along with the stud on either side for a total of 3. When 2 or more studs are broken, all of the studs should be replaced.

REMOVAL

- Mark all flat tires removed with vehicle number and wheel position.
- Clearly identify nail holes and damage in removed tires by circling with tire chalk.

SERVICES AND LABOR

- Refer to standard service and labor rates guide. (SLR)

WARRANTIES

- All warranty claims will follow the Bridgestone Truck and Bus national warranty guidelines.
- All warranty claims will follow the Bandag Retread national warranty guidelines.

EMERGENCY ROAD SERVICES

- Contact Bridgestone Emergency Road Services at 1-888-BI-TIRES or go to <https://commercial.bridgestone.com/en-us/find-dealer>

WHEELS

REPAIRS (CONTINUED)

STEER

- Total number of repairs allowed: 3
- Max section repair size allowed: B-48 and/or C0 33

STEER REPAIR INSTRUCTIONS

- Any tire removed for repair with 3/32 remaining tread depth or less should not be repaired. It should be sent in for retreading.
- All nail hole repairs must be plugged and patched with Bandag repair materials, in accordance with Bandag repair specifications.

TRAILER

- Total number of repairs allowed: 3

TRAILER REPAIR INSTRUCTIONS

- All nail hole repairs must be plugged and patched with Bandag repair materials, in accordance with Bandag repair specifications.
- Section repairs may be applied to crown or sidewall only.
- No more than one repair per quadrant.
- Unlimited number of spot repairs.
- Bead and spot repairs allowable as long as no body ply has been exposed.
- Chemically cured repair units must be removed and replaced with heat-cured repair units.
- Repair not to exceed value of casing.

The PDF shown will be going through changes to allow the ability to include most of the Policy on 1 – 3 pages. This concludes the Policy Manager walk through. Explore another section or click the **Tire Advisor** logo to go back the main home screen.

- Document roadrack inventory monthly and provide stocking recommendations.

BALANCING

- Balance all steer tires balancing agent only.

DELIVERY

- Delivery must include all tires including retreads, repair only, non retreadable tires on the original purchase order. RR must be labeled with out of service condition.

SCRAP HANDLING

- Must have fleet approval before disposing of scrap tires.
- All out-of-spec tires will be disposed of in a lawful manner.

PICKUP

- Preferred turnaround time for repairs only: 3

RETREADS

DRIVE

- Max Casing Age: 2 years
- Max Number of Retreads: 2

TRAILER

- Max Casing Age: 2 years
- Max Number of Retreads: 3

GENERAL CASING INSTRUCTIONS

- Tires in dual configuration must be matched by size and inflation, with no more than 1 inch difference in diameter and 10 PSI difference in inflation.
- Duals must be matched by casing brand, size and inflation. Steer Tires Will Be New Originals *Only*

CASING BRANDS ACCEPTED

- Bridgestone

CASING MANAGEMENT

- Drop yard requirements: When a casing is picked up for Services or disposal, the Service Provider shall provide a written work order to Customer identifying the casing and tracking the location and custody of that casing. All casings returned to Customer after Services will be the same casing originally picked up and not an replacement casing, unless otherwise mutually agreed by the parties.
- Disposal of any casings by a Service Provider will be done properly and in accordance with all applicable laws, rules and regulations. The work order or other writing or report provided by the Service Provider or Bandag shall be adequate to substantiate compliance with all of such requirements.
- Scrap tires must be reviewed or approved by local Fleet Manager before disposal.

HOW BUNDLE BUILDER WORKS

GET STARTED >

This section will give you the ability to use the Bundle Builder tool. More information for this can be found on Bridgestone Marketing website. Click the **Tire Advisor** logo to go back to the main dashboard.

//////////

SITE SEARCH RESULTS

Site Search




Search for ideas, technology, and services to improve your fleet



CAN WE HELP?

[Find a Dealer](#)

[Careers](#) 

[About](#)

[Contact Us](#)

[Tire Recall Info](#)

TIRES BY CATEGORY

[Truck and Bus](#)

[Retreads](#)

[Off the Road](#)

[Agriculture](#)

The Search option will allow the ability to search tires, articles and other content within the Bridgestone Marketing website. The next page will display a sample search.



SITE SEARCH RESULTS

TBR Tires

70 Results Found

This is a visual example of a TBR Tires search results that will display clickable information. This concludes the Search portion of the guide, click the **Tire Advisor** logo on the top right to go back to the dashboard.



GREATEC M835A ECOPIA™

radial ,SmartWay® verified & CARB compliant ,Ecopia™

The Greatec M835A Ecopia™ tire is designed for tandem-axle drive applications in long-haul service.

[READ MORE](#)

GREATEC M845™


radial

The Greatec M845™ offers features made for high-scrub, urban environments. Because it's a wide base tire, it allows for heavier loads, which means fewer trips for your trucks.

[READ MORE](#)

WELCOME,
TESTEND1 TESTEND1

Saved Items (3)

 [EDIT MY PROFILE](#)

SHARE OR REMOVE SAVED ITEMS

MY SAVED TIRES (1)

Here you will find all of your saved Bridgestone tires. View or un-save tires as you please.




The Saved section will show all saved items within Bridgestone Marketing website. This include Save Tires, Dealers, and other recommended services.



MY FAVORITE DEALERS (1)

View all of your saved dealers here. View the dealer detail page or remove them from your favorites.



BOULEVARD TIRE CENTER

8210 S ORANGE AVE
ORLANDO , FL 32809-6733

[VIEW DEALER](#)

Scroll through favorite tires and dealers by using the **Red** arrow.



RECOMMENDED SERVICES & TECHNOLOGY FOR YOU



TAKE CONTROL OF YOUR TIRE PROGRAM

We'll help you find the right combination of tires and Fleet Service programs to optimize your cost per mile.

FIND OUT HOW



TREADSTAT™ – TIRE AND RIM MANAGEMENT SOLUTION

Forecasting purchases, scheduling rotation and related equipment downtime make TreadStat the choice for tire inspection and data collection.

DISCOVER TREADSTAT



The last section will display Recommend Services and Technology to explore within the Bridgestone Marketing website. Click the **Tire Advisor** logo to go back to the main dashboard.

DISCOVER PRESSURESTAT

< BACK TO THE DASHBOARD

QUOTE MANAGER

Search for an existing Quote



MY QUOTES (56) FAVORITES (9) DRAFTS (45) COMPLETED (1)

Section Pending



New Structure Quote



Download

Delete



Sway Test

DATE CREATED

5/3/21

CREATED BY

STATUS

Completed

